

1. A composite picture generating method for superimposing an image over a moving picture comprising the steps of:

synthesizing the image moving along said  
specified locus over the moving picture.

specifying a boundary area in the moving picture; and

3. A composite picture generating method according to claim 2, comprising the steps of:

determining an actual boundary area in the  
played-back moving picture based on the specified area  
identification information; and

4. A computer-readable recording medium storing a program for implementing the composite picture generating method of claim 1 by a computer.

5. A computer-readable recording medium storing a

program for implementing the composite picture generating method of claim 2 by a computer.

6. A computer-readable recording medium storing a program for implementing the composite picture generating method of claim 3 by a computer.

7. A composite picture generating method for superimposing an image over a moving picture, executed by using a computer, said method comprising the steps of:

displaying the moving picture on a screen of a display from moving picture data;

drawing a desired locus of motion over the moving picture on the display screen as the moving picture is played, to generate the locus of motion of the image to be superimposed over the displayed moving picture; and

combining said image and said displayed moving picture in accordance with the drawn locus to generate a composite moving picture in the form of data.

8. An image synthesizing method according to claim 7, wherein said step of drawing the locus of motion of the image comprises a step of variably changing a playback speed of the moving picture displayed on the screen.

9. An image synthesizing method according to claim 7, wherein said step of drawing the locus of motion of the image comprises a step of drawing the locus of motion over the displayed moving picture with a pointing device.

10. A composite picture generating method according

0591098-083000

drawing a desired locus of motion over the moving picture on the display screen as the moving picture is played, to generate the locus of motion of the

16. A software according to claim 15, comprising a step of specifying area identification information for identifying the boundary area, extracting an actual boundary of the replayed moving picture according to the area identification information, and modifying a superimposing position of said image on the moving picture.

ADD  
A1

ADD